



# **Document Protection Solutions**

| How to choose - Lamination     | xxx |
|--------------------------------|-----|
| GBC® HeatSeal™ Pouch Selection | xxx |
| GBC® Equipment                 | xxx |
| GBC® BadgeMates™               | xxx |
| GBC® Accessories               | xxx |
| Technical Specifications       | ххх |

Lamination for Home, Education and Business

www.gbceurope.com





### **How to Choose - Lamination**

What is your purpose and how often to you want to laminate?

### PROFESSIONAL (EXTERNAL DOCUMENTS)



Designed to meet specific user needs.

Peel n Stick - the perfect pouch for signage. Organise Pouch - specifically designed for all filing needs.

#### BUSINESS (INTERNAL & EXTERNAL)



More specialised applications such as Matt, for documents to avoid light glare eg. menus & maps.

Medium to high rigidity for medium to frequently handled documents such as training materials.

### INFORMAL (INTERNAL DOCUMENTS)



Lamination for general everyday documents such as telephone lists, reference documents, business cards, or coloured to highlight specific areas.


Low to medium rigidity for

occassional handling.

### **2**What / Why are you laminating?

|                        | 2            |         | 0        | 7           | ( )        |           | To        | 2         | A  |      |    |
|------------------------|--------------|---------|----------|-------------|------------|-----------|-----------|-----------|----|------|----|
|                        | Peel n Stick | UV Safe | Organise | EZload film | ColorPouch | MattPouch | HighSpeed | CardPouch | Do | cume | nt |
| Signage                | ✓            | ✓       |          | ✓           | <b>√</b>   | 1         |           |           |    |      |    |
| Reference documents    |              |         | 1        | ✓           | 1          | <b>√</b>  | /         | 1         | 1  | /    | /  |
| Filing documents       |              |         | 1        |             |            |           |           |           |    |      |    |
| General everyday use   |              |         | 1        | ✓           | 1          | 1         | /         |           | 1  | /    | 1  |
| Labelling and identity | 1            |         |          |             |            |           | J         | V         | 1  | /    | 1  |

### **3** What size is your document?



A3 A4 A5 A6 ID size A2 A3 A4 A5 A6 ID size Roll Laminators
Continuous Banners
A2
A3
A4
A5
A6

4 Which laminator is suitable for your pouch choice.

|                 |     |          | Hig | jh Vo | lume     | e/Fre | que | ncy (    | of Us | age |    |     | ľ  | Mediun | n Volun | ne/Fre   | quenc | y of U | sage |     |    |
|-----------------|-----|----------|-----|-------|----------|-------|-----|----------|-------|-----|----|-----|----|--------|---------|----------|-------|--------|------|-----|----|
| Size            |     | A2       |     |       | АЗ       |       |     | A2       |       | Д   | .3 | А   | .3 | , A    | 43      | l l      | \3    | A      | 13   | А   | 3  |
| mic per flap    | 4   | 500L     | M   | 3     | 500LI    | M     | 4   | 1000L    | M     | H5  | 35 | H5  | 20 | H      | 425     | H4       | 120   | НЗ     | 320  | НЗ  | 18 |
| 42 micron       | 1   | <b>✓</b> | 1   | 1     | <b>✓</b> | 1     |     |          |       | 1   | 1  |     |    |        |         |          |       |        |      |     |    |
| 75 micron       | 1   | <b>✓</b> | 1   | 1     | 1        | 1     | 1   | 1        | 1     | 1   | 1  | 1   | 1  | 1      | 1       | <b>✓</b> | 1     | 1      | 1    | 1   | 1  |
| 100 micron      | 1   | <b>✓</b> | 1   | 1     | 1        | 1     | 1   | 1        | 1     | 1   | 1  | 1   | 1  | 1      | 1       |          |       | 1      | 1    | 1   | 1  |
| 125 micron      | 1   | <b>✓</b> | /   | 1     | 1        | 1     | 1   | 1        | 1     | 1   | 1  | 1   | 1  | 1      | 1       | <b>✓</b> | 1     | 1      | 1    | 1   | 1  |
| 175 micron      | 1   | <b>✓</b> | /   | 1     | 1        | 1     | 1   | 1        | 1     | 1   | 1  | 1   | 1  | 1      | 1       | <b>✓</b> | 1     |        |      |     |    |
| 180 micron      | 1   | <b>✓</b> | /   | 1     | 1        | 1     | 1   | 1        | 1     | 1   | 1  |     |    | /      | 1       | <b>✓</b> | 1     |        |      |     |    |
| 250 micron      | 1   | <b>✓</b> | 1   | 1     | 1        | 1     | 1   | <b>√</b> | 1     | 1   | 1  |     |    | /      | 1       |          |       |        |      |     |    |
| See Page Number | ххх |          |     | ххх   |          |       | ххх |          |       | ххх |    | ххх |    | ххх    |         | ххх      |       | ххх    |      | XXX | 7  |

|                 | Med | dium |     | Low Volu | me/Frequenc | y of Usage |            | High \   | /olume/Fre | equency o | Usage    |  |
|-----------------|-----|------|-----|----------|-------------|------------|------------|----------|------------|-----------|----------|--|
| Size            | A   | ١4   | A4  | A4       | A4          | A3         | A4         |          | Roll Lai   | minators  |          |  |
| mic per flap    | H2  | 220  | H75 | H65      | Creative    | Inspire A3 | Inspire A4 | EZLo     | oad 35     | AutoUl    | tima Pro |  |
| 42 micron       |     |      |     |          |             |            |            | 1        | 1          | 1         | ✓        |  |
| 75 micron       | /   | 1    | 1   | 1        |             | 1          | 1          | 1        | 1          | 1         | ✓        |  |
| 100 micron      | /   | 1    |     |          |             |            |            |          |            |           |          |  |
| 125 micron      | /   | 1    | /   | 1        | /           |            |            | 1        | <b>✓</b>   | 1         | <b>✓</b> |  |
| 175 micron      |     |      |     |          |             |            |            | <b>✓</b> | 1          |           |          |  |
| 180 micron      |     |      |     |          |             |            |            |          |            |           |          |  |
| 250 micron      |     |      |     |          |             |            |            |          |            |           |          |  |
| See Page Number | х   | хх   | ххх | xxx      | XXX         | XXX        | xxx        | ххх      | xxx        | х         | хх       |  |

HOTEL EXPRESS:

ACCO Brands, any other party (whether or not involved in creating, producing, maintaining or delivering the Site), and any of ACCO Brands holding companies, subsidiaries or affiliated companies ("Affiliates") and the officers, directors, employees, shareholders or agents of any of them shall not be liable in connection with the Site in any way (or in connection with the use of, performance of, or your browsing in, or your links to, other sites from this Site), for any loss or damages of any kind howsoever arising, including without limitation, any direct, indirect, punitive or consequential loss or damages or any loss of income, profits, goodwill, data, contracts, and whether or not advised of the possibility of such damages and whether in tort (including negligence), contract or otherwise. However, nothing in this legal notice shall exclude or limit ACCO Brands liability or traud.





## **GBC®** HeatSeal™ Pouch Selection

GBC® understands and appreciates the different environments in which lamination takes place.

A comprehensive range has been developed:

Professional, Business and Informal to suit every environment and perfectly meet the users needs.

Remember to choose the pouch size, thickness and finish that is right for your document and for the equipment you will use.



### **Document**<sup>™</sup> **Pouch** Large Sizes

Ideal for Posters, Signage, Charts and Maps etc. For use with A3 and A2 Laminators.



| Available items | Size<br>(mm) | Finish | Micron<br>thickness |             | Pack<br>Size | Product<br>Code |
|-----------------|--------------|--------|---------------------|-------------|--------------|-----------------|
| A2              | 426 x 600    | Gloss  | 2 x 80 mic          | (160 Total) | 100          | IB589782        |
| A2              | 426 x 600    | Gloss  | 2 x 125 mic         | (250 Total) | 100          | IB589799        |
| A2              | 426 x 600    | Gloss  | 2 x 125 mic         | (250 Total) | 50           | 3745099         |
| A3              | 303 x 426    | Gloss  | 2 x 38 mic          | (76 Total)  | 200          | 3745104         |
| A3              | 303 x 426    | Gloss  | 2 x 75 mic          | (150 Total) | 100          | 3200745         |
| A3              | 303 x 426    | Gloss  | 2 x 75 mic          | (150 Total) | 25           | 3740486         |
| A3              | 303 x 426    | Gloss  | 2 x 80 mic          | (160 Total) | 100          | IB583032        |
| A3              | 303 x 426    | Gloss  | 2 x 100 mic         | (200 Total) | 100          | 3740307         |
| A3              | 303 x 426    | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3200725         |
| A3              | 303 x 426    | Gloss  | 2 x 125 mic         | (250 Total) | 25           | 3747237         |
| A3              | 303 x 426    | Gloss  | 2 x 175 mic         | (350 Total) | 100          | 3200746         |
| A3              | 303 x 426    | Gloss  | 2 x 180 mic         | (360 Total) | 25           | 41620E          |
| A3              | 303 x 426    | Gloss  | 2 x 250 mic         | (500 Total) | 50           | 3740450         |







### **Document**<sup>™</sup> **Pouch** - Standard Sizes

The daily solution to protect and enhance valuable presentation pages, reference lists, product sheets, notices etc...



|   | Available items | Size<br>(mm) | Finish | Micron<br>thickness |             | Pack<br>Size | Product<br>Code |
|---|-----------------|--------------|--------|---------------------|-------------|--------------|-----------------|
| Ī | A4              | 216 x 303    | Gloss  | 2 x 38 mic          | (76 Total)  | 200          | 3745103         |
| I | A4              | 216 x 303    | Gloss  | 2 x 75 mic          | (150 Total) | 100          | 3740400         |
| ı | A4              | 216 x 303    | Gloss  | 2 x 75 mic          | (150 Total) | 25           | 3740489         |
| I | A4              | 216 x 303    | Gloss  | 2 x 80 mic          | (160 Total) | 100          | IB585036        |
| I | A4              | 216 x 303    | Gloss  | 2 x 100 mic         | (200 Total) | 100          | 3740306         |
| ĺ | A4              | 216 x 303    | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3200723         |
| ĺ | A4              | 216 x 303    | Gloss  | 2 x 125 mic         | (250 Total) | 25           | 3740482         |
| ı | A4              | 216 x 303    | Gloss  | 2 x 175 mic         | (350 Total) | 100          | 3200724         |
|   | A4              | 216 x 303    | Gloss  | 2 x 180 mic         | (360 Total) | 25           | 41625E          |
| ĺ | A4              | 216 x 303    | Gloss  | 2 x 250 mic         | (500 Total) | 100          | IB586040        |
| ı | A4              | 216 x 303    | Gloss  | 2 x 250 mic         | (500 Total) | 50           | 3740449         |
|   | A5              | 154 x 216    | Gloss  | 2 x 75 mic          | (150 Total) | 100          | 3740451         |
| I | A5              | 154 x 216    | Gloss  | 2 x 75 mic          | (150 Total) | 25           | 3740483         |
| I | A5              | 154 x 216    | Gloss  | 2 x 80 mic          | (160 Total) | 100          | IB575037        |
| ĺ | A5              | 154 x 216    | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3200749         |
| I | A5              | 154 x 216    | Gloss  | 2 x 250 mic         | (500 Total) | 50           | 3740448         |
| I | A6              | 111 x 154    | Gloss  | 2 x 75 mic          | (150 Total) | 100          | 3743152         |
|   | A6              | 111 x 154    | Gloss  | 2 x 80 mic          | (160 Total) | 100          | IB585067        |
|   | A6              | 111 x 154    | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3740442         |
| 1 | A6              | 111 x 154    | Gloss  | 2 x 250 mic         | (500 Total) | 50           | 3740452         |
| ĺ | A7              | 80 x 111     | Gloss  | 2 x 80 mic          | (160 Total) | 50           | IB577031        |
| ı | A7              | 80 x 111     | Gloss  | 2 x 125 mic         | (250 Total) | 100          | IB581076        |
|   |                 |              |        |                     |             |              |                 |

### **E**<sub>7</sub>-In feature

Remove the frustration of document centering, the unique pouch corner seal ensures accurate document placement every time.

This feature is now standard on all A3 / A4 and A5 Document Pouches mentioned above.









GBC®Pouch Selection

### **Document**<sup>™</sup> **Pouch** - Reference Sizes

Ideal for smaller documents - specialist identity documents, permits and licences.

| Available items | Size<br>(mm) | Finish | Micron<br>thickness |             | Pack<br>Size | Product<br>Code |
|-----------------|--------------|--------|---------------------|-------------|--------------|-----------------|
| Jumbo           | 75 x 105     | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3740303         |
| Jumbo           | 75 x 105     | Gloss  | 2 x 250 mic         | (500 Total) | 100          | 3740436         |
| Hunting         | 90 x 130     | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3743164         |
| German          | 83 x 113     | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3743154         |
| Swiss           | 81 x 119     | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3743155         |
| Swiss           | 81 x 119     | Gloss  | 2 x 250 mic         | (500 Total) | 100          | 3740145         |
|                 |              |        |                     |             |              |                 |





### **Card**<sup>™</sup> **Pouch**

Designed for use with many card types. Can be slotted and punched to accept clips and chains for identity purposes.



| Available items     | Size<br>(mm) | Finish | Micron<br>thickness |             | Pack<br>Size | Product<br>Code |
|---------------------|--------------|--------|---------------------|-------------|--------------|-----------------|
| Credit Card         | 54 x 86      | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3740300         |
| Credit Card         | 54 x 86      | Gloss  | 2 x 175 mic         | (350 Total) | 100          | IB589546        |
| Credit Card         | 54 x 86      | Gloss  | 2 x 180 mic         | (360 Total) | 50           | 41608E          |
| Credit Card         | 54 x 86      | Gloss  | 2 x 250 mic         | (500 Total) | 100          | 3740430         |
| IBM                 | 59 x 83      | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3740426         |
| IBM                 | 59 x 83      | Gloss  | 2 x 180 mic         | (360 Total) | 50           | 41609E          |
| Business Card       | 60 x 90      | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3743157         |
| Government          | 65 x 95      | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3740301         |
| Government          | 65 x 95      | Gloss  | 2 x 125 mic         | (250 Total) | 25           | 3740487         |
| Government          | 65 x 95      | Gloss  | 2 x 250 mic         | (500 Total) | 100          | 3740432         |
| Badge               | 67 x 99      | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3743177         |
| Badge               | 67 x 99      | Gloss  | 2 x 180 mic         | (360 Total) | 50           | 41611E          |
| Key Card            | 64 x 99      | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3747245         |
| Key Card            | 64 x 99      | Gloss  | 2 x 180 mic         | (360 Total) | 50           | 41610E          |
| Luggage (with slot) | 64 x 108     | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3740433         |
| Luggage (with slot) | 64 x 108     | Gloss  | 2 x 250 mic         | (500 Total) | 100          | 3740434         |

| Available<br>items              | Size<br>(mm)   | Finish      | Micron<br>thickness |             | Pack<br>Size | Product<br>Code |  |  |  |  |  |
|---------------------------------|----------------|-------------|---------------------|-------------|--------------|-----------------|--|--|--|--|--|
| Writable, non-reflective finish |                |             |                     |             |              |                 |  |  |  |  |  |
| A3                              | 303 x 426      | Matt/ Matt  | 2 x 75 mic          | (150 Total) | 100          | 41660E          |  |  |  |  |  |
| A3                              | 303 x 426      | Matt/ Matt  | 2 x 125 mic         | (250 Total) | 100          | 3747235         |  |  |  |  |  |
| A3                              | 303 x 426      | Matt/ Matt  | 2 x 125 mic         | (250 Total) | 50           | 3747521         |  |  |  |  |  |
| A4                              | 216 x 303      | Matt/ Matt  | 2 x 75 mic          | (150 Total) | 100          | 3747240         |  |  |  |  |  |
| A4                              | 216 x 303      | Matt/ Matt  | 2 x 75 mic          | (150 Total) | 50           | 3747522         |  |  |  |  |  |
| A4                              | 216 x 303      | Matt/ Matt  | 2 x 100 mic         | (200 Total) | 100          | 3740491         |  |  |  |  |  |
| A4                              | 216 x 303      | Matt/ Matt  | 2 x 125 mic         | (250 Total) | 100          | 3747241         |  |  |  |  |  |
| A4                              | 216 x 303      | Matt/ Matt  | 2 x 125 mic         | (250 Total) | 50           | 3747524         |  |  |  |  |  |
| One side i                      | natt/ one side | gloss       |                     |             |              |                 |  |  |  |  |  |
| A4                              | 216 x 303      | Matt/ Gloss | 2 x 75 mic          | (150 Total) | 50           | 3747520         |  |  |  |  |  |
|                                 |                |             |                     |             |              |                 |  |  |  |  |  |

### **Matt**<sup>™</sup> Pouch

The non-reflective finish of Matt is ideal in bright light conditions or to avoid glare and unsightly finger marks.



| Available<br>items | Size<br>(mm)   | Finish      | Micron<br>thickness |             | Pack<br>Size | Product<br>Code |
|--------------------|----------------|-------------|---------------------|-------------|--------------|-----------------|
| Easy arch          | iving (A4 + pu | nched margi | n)                  |             |              |                 |
| A4                 | 228 x 303      | Gloss       | 2 x 75 mic          | (150 Total) | 100          | 41664E          |
| A4                 | 229 x 304      | Gloss       | 2 x 75 mic          | (150 Total) | 25           | 3747518         |
| A4                 | 229 x 304      | Gloss       | 2 x 125 mic         | (250 Total) | 100          | 3743156         |
| A4                 | 229 x 304      | Gloss       | 2 x 125 mic         | (250 Total) | 25           | 3740484         |
| A4                 | 229 x 304      | Matt        | 2 x 75 mic          | (150 Total) | 25           | 3747517         |
| A4                 | 229 x 304      | Matt        | 2 x 125 mic         | (250 Total) | 25           | 3747516         |
| Oversized          | unpunched (0   | Oversized)  |                     |             |              |                 |
| A4                 | 228 x 303      | Matt/ Matt  | 2 x 100 mic         | (200 Total) | 50           | 3747518         |

|   | <b>Organise</b> <sup>™</sup> <b>Pouch</b> |
|---|---|
| P | Ideal for documents which need to         |

to be filed and

| Available items | Size<br>(mm) | Finish | Micron<br>thickness |             | Pack<br>Size | Product<br>Code |
|-----------------|--------------|--------|---------------------|-------------|--------------|-----------------|
| Laminate        | 30% faster   |        |                     |             |              |                 |
| A4              | 216 x 303    | Gloss  | 2 x 75 mic          | (150 Total) | 100          | 3747347         |
| A4              | 216 x 303    | Gloss  | 2 x 80 mic          | (160 Total) | 100          | IB049033        |
| A4              | 216 x 303    | Gloss  | 2 x 100 mic         | (200 Total) | 100          | 3747525         |
| A4              | 216 x 303    | Gloss  | 2 x 125 mic         | (250 Total) | 100          | 3747348         |
|                 |              |        |                     |             |              |                 |

**High Speed Pouches can be** used with A3 and bigger sized laminators.

### **HighSpeed<sup>™</sup> Pouch**



Ideal for A4 documents that need protecting 'in a rush' can save more than just time - it can save money and frustration.







### **Peel'nStick™Pouch**



Ideal for semipermanent signage or reference. Simply peel off the backing paper to reveal the self-adhesive layer and stick.

| HOTEL         |
|---------------|
| ACCOMODATION  |
| HOTEL EXPRESS |

| Available items   | Size<br>(mm) | Finish | Micron<br>thickness     | Pack<br>Size | Product<br>Code |  |
|-------------------|--------------|--------|-------------------------|--------------|-----------------|--|
| Ideal for signage |              |        |                         |              |                 |  |
| A3                | 303 x 426    | Gloss  | 2 x 75 mic (150 Total)  | 25           | 3747526         |  |
| АЗ                | 303 x 426    | Matt   | 2 x 75 mic (150 Total)  | 25           | 3747529         |  |
| А3                | 303 x 426    | Gloss  | 2 x 125 mic (250 Total) | 100          | 3747236         |  |
| A4                | 216 x 303    | Gloss  | 2 x 75 mic (150 Total)  | 25           | 3747527         |  |
| A4                | 216 x 303    | Matt   | 2 x 75 mic (150 Total)  | 25           | 3747530         |  |
| A4                | 216 x 303    | Gloss  | 2 x 100 mic (200 Total) | 100          | 41666E          |  |
| A4                | 216 x 303    | Gloss  | 2 x 125 mic (250 Total) | 100          | 3747243         |  |
| A5                | 154 x 216    | Gloss  | 2 x 75 mic (150 Total)  | 25           | 3747528         |  |
| A5                | 154 x 216    | Gloss  | 2 x 125 mic (250 Total) | 100          | 3747244         |  |

### **Photo**<sup>™</sup> **Pouch**

The Photo™Pouch is designed to colour enhance and protect modern photos including the traditional photo size.



| Available items        | Size<br>(mm) | Finish | Micron<br>thickness     | Pack<br>Size | Product<br>Code |
|------------------------|--------------|--------|-------------------------|--------------|-----------------|
| For photo 130          | x 180 mm     |        |                         |              |                 |
| Photosize              | 136 x 186    | Gloss  | 2 x 125 mic (250 Total) | 25           | ED20125         |
| For photo 100 x 150 mm |              |        |                         |              |                 |
| Photosize              | 108 x 154    | Gloss  | 2 x 125 mic (250 Total) | 25           | ED21125         |
| Patented technology    |              |        |                         |              |                 |
| Photosize              | 133 x 184    | Gloss  | 2 x 100 mic (200 Total) | 50           | 2100157E        |
| Photosize              | 229 x 304    | Gloss  | 2 x 100 mic (200 Total) | 50           | 2100159E        |



| Available items | Size<br>(mm) | Finish | Micron<br>thickness |             | Pack<br>Size | Product<br>Code |
|-----------------|--------------|--------|---------------------|-------------|--------------|-----------------|
| Protect fro     | om sunlight  |        |                     |             |              |                 |
| A4              | 216 x 303    | Gloss  | 2 x 150 mic         | (300 total) | 100          | IB611032        |
| A4              | 216 x 303    | Gloss  | 2 x 150 mic         | (300 total) | 25           | 3747519         |
|                 |              |        |                     |             |              |                 |



### **UVSafe**<sup>™</sup> Pouch

Ideal for outdoor use as UV inhibitors preserve the colour and life of your document.



| Available items | Size<br>(mm) | Finish    | Micron<br>thickness  |             | Pack<br>Size | Product<br>Code |
|-----------------|--------------|-----------|----------------------|-------------|--------------|-----------------|
| Coloured        | pouches      |           |                      |             |              |                 |
| A4              | 303 x 216    | Red       | 2 x 100 mic          | (200 total) | 50           | 4400376         |
| A4              | 303 x 216    | Silver    | 2 x 100 mic          | (200 total) | 50           | 4400377         |
| A4              | 303 x 216    | Black     | 2 x 100 mic          | (200 total) | 50           | 4400378         |
| A4              | 303 x 216    | Red/ Blac | k Silver Assorted    |             |              |                 |
|                 |              |           | 2 x 100 mic          | (200 total) | 25           | 4400379         |
| A4              | 303 x 216    | Green/ Ye | ellow/ Red/ Blue Ass | orted       |              |                 |
|                 |              |           | 2 x 100 mic          | (200 total) | 25           | 4400380         |

### **Color**<sup>™</sup> **Pouch**

Colour catches the eye, colour excites, colour distinguishes, colour communicates and when integrated into GBC Pouch Lamination technology, colour protects. Choose from a total of six colour options.



| Available items | Size<br>(mm)  | Finish          | Micron<br>thickness    | Pack<br>Size | Product<br>Code |
|-----------------|---------------|-----------------|------------------------|--------------|-----------------|
| Fun-framed, ph  | otograph pouc | hes             |                        |              |                 |
| 100 x 130mm     | 303 x 216     | Framed Assorted | 2 x 75 mic (150 total) | 12           | 4400382         |



### **Framed**<sup>™</sup> **Pouch**



Add a fun frame around your document. Ideal for a photo or invitation. Item includes 12 pouches with 6 fun designs.

| Available items   | Size<br>(mm)                | Finish     | Micron<br>thickness     | Pack<br>Size | Product<br>Code |
|---|-----------------------------|------------|-------------------------|--------------|-----------------|
| 50pcs A4; 10pcs A4 Organise; 5pcs Badge; 5pcs Credit Card |                             |            |                         |              |                 |
| Selection Pack  | A4, Card Sizes              | Gloss      | 2 x 75 mic (150 total)  | 80           | 2100230E        |
| 10pcs Matt; 10pcs Peel'nStick; 10pcs Organise             |                             |            |                         |              |                 |
| Selection Pack  | A4                          | Gloss/Matt | 2 x 75 mic (150 total)  | 30           | 4400542         |
| 10pcs A4;10pcs 13x18; 10pcs 10x15                         |                             |            |                         |              |                 |
| Hot Lamination Va   | ariable Sizes<br>Multi-Pack | Gloss      | 2 x 125 mic (250 total) | 30           | ED23125         |





**Extend your experience of lamination application** with our selection packs.



# **GBC**° Equipment

Once you have decided on the application, size, thickness and finish - you will choose which GBC® system is the best for you. Either GBC® Heatseal™ which is ideal for any pouch lamination in the home, office or education environments, or GBC® RollSeal™ for higher volume usage.



### **AutoUltima**™ Laminator



Minimum effort...Maximum results. Feeds, Laminates and trims – all at the touch of a button.







GBC AutoUltima<sup>™</sup> makes lamination so quick and simple it is designed to support multiple users throughout the day, anyone in your company can laminate single or multiple documents at the press of a button. As simple to use as a photocopier, just insert your documents into the feeder, and press start – the AutoUltima does the rest!

- Ease of use / One button control
- Automatic feeder, simply load up to 50 documents in the
- Once you have pressed start, you can leave the AutoUltima Pro to reach optimum temperature before it automatically feeds, laminates and trims to size up to 50 documents in less than 15 minutes
- Fast throughput, 800mm per min (204 A4 per hour)
- The documents are quickly and perfectly laminated and aligned in the collection tray just waiting for you to pick them up; you can even combine various lamination jobs without worrying about standing by the machine
- No more time spent loading individual pouches and feeding each pouch one by one into the laminator and you have the perfect solution for items that may not be suited to a larger roll laminator
- Uses EZ load roll film and technology (see next page)

Product Code

Feeds, Laminates, Trims at the touch of a button!







GBC<sup>®</sup> RollSeal™

### RollSeal™ Ultima 35 E<sub>7</sub> load™

The perfect laminator for offices and schools. Versatile and economical, the Ultima 35 Ezload<sup>™</sup> brings high volume, foolproof lamination to all.

■ Unique Ezload<sup>™</sup> technology makes it impossible to load films incorrectly

- Exceptionally fast 1 minute warm up time
- Built-in, patented safety features for worry-free laminating
- Laminates anything from small, unusually shaped items to continuous banners and posters (up to 150m in length) ■ Ten heat settings to ensure perfect results on a wide
- range of material and film thicknesses ■ Accepts film thicknesses, from 2x42.5 microns (85 total) to a tough, durable 2x250 microns
- (500 total) ■ Laminates at 1 metre per minute (that's just 13 seconds for an

A4 document)

**E**<sub>7</sub>load™ Roll Film

A range of high quality Ezload™ films are available to complement your Ultima 35 or AutoUltima™ roll laminator. All film is supplied in ready to use packs of two rolls, ready for error-free loading.

| Paper Size/Type | Roll Dimensions | Finish     | Pouch Thickness Micron  | Quantity | Product Code |
|-----------------|-----------------|------------|-------------------------|----------|--------------|
| Variable sizes  | 305mm x 150m    | Gloss      | 2 x 42.5 mic (85 total) | 2        | 3400919EZ    |
| Variable sizes  | 305mm x 150m    | Matt       | 2 x 42.5 mic (85 total) | 2        | 3400923EZ    |
| Variable sizes  | 305mm x 150m    | Gloss      | 2 x 75 mic (150 total)  | 2        | 3400927EZ    |
| Variable sizes  | 305mm x 150m    | Matt       | 2 x 75 mic (150 total)  | 2        | 3400713EZ    |
| Variable sizes  | 305mm x 75m     | Matt/Gloss | 2 x 75 mic (150 total)  | 2        | 3200202EZ    |
| Variable sizes  | 305mm x 60m     | Gloss      | 2 x 125 mic (250 total) | 2        | 3400931EZ    |
| Variable sizes  | 305mm x 60m     | Matt       | 2 x 125 mic (250 total) | 2        | 3200201EZ    |
| Variable sizes  | 305mm x 30m     | Gloss      | 2 x 175 mic (350 total) | 2        | 3200200EZ    |
| Variable sizes  | 305mm x 30m     | Gloss      | 2 x 250 mic (500 total) | 2        | 3400935EZ    |

### **HeatSeal™ ProSeries 4500LM** & HeatSeal™ ProSeries 3500LM

An A3 plus lamination system that guarantees superb results across the complete cross-section of modern materials photos, colour copies, laser prints, high density litho prints and even digitally printed materials.

- HeatSeal<sup>™</sup> ProSeries 4500LM has 470mm throat width, ideal for 2-up' A4 brochure / report cover work or A2 posters and pop-ups
- HeatSeal™ ProSeries 3500LM has 330mm throat width for Max A3
- Laminates from 2x38 micron (76 total) to super heavy 2x250 micron (500 total)
- Digital Display
- Hot Roller heating technology 2 x Hot Roller
- + Plate + 2 x Pressure Rollers
- 160-800mm/min variable speed
- Temperature control 5 pre-set settings
- 31-155 pouches per hour
- 45-225 GBC HighSpeed pouches per hour

| Model   | Lamination Width | Product Code |
|---------|------------------|--------------|
| H4500LM | A2 Max (470mm)   | 1700520      |
| H3500LM | A3 Max (330mm)   | 1700320      |



HeatSeal™ ProSeries 4500LM





EDUCATION



HeatSeal™ ProSeries 3500LM



### HeatSeal™ ProSeries 4000LM

The 4000LM has a super fast warm up time of 2 minutes and is ideal for laminating signs, display materials and posters up to A2 in size.

- Fast 2 min warm up
- HeatSeal<sup>TM</sup> ProSeries 4000LM has 470mm throat width for Max A2
- Laminates from 2x38 micron (76 total) to super heavy 2x250 micron (500 total)

A2 Max (470mm)

- Four Roller design for perfect results
- Robust and heavy duty construction
- 470 per minute throughput speed

HeatSeal ProSeries 4000LM



Product Code

HeatSeal™ ProSeries 4000LM







www.gbceurope.com | 155



GBC® HeatSeal™

### **HeatSeal**™ **H535** Turbo

With variable speed and temperature settings, the HeatSeal™ H535 Turbo produces excellent photo quality laminates.

Ideal for those who demand much more of a pouch laminator.

- Up to 141 A3's (or 200 A4's) per hour capacity or 277 A4's using the GBC® HighSpeed™ Pouch
- Pouch capability all thicknesses of pouch up to 2 x 250 micron (500 total) per side
- 4 pre-set temperature settings and 6 speed settings
- 4 Roller design (2 heated + 2 pressure); 324mm throat width
- Auto Shut-Off after 1 hour of no activity
- Large exit tray keeps product flat after exit
- Pouch Counter ideal for GBC® HighSpeed<sup>™</sup> Pouch usage
- Reverse mode for misfeeds

**Product Code** H535Turbo A3 Max (324mm) 1701590



### HeatSeal™ H520 **HighSpeed**

HighSpeed<sup>™</sup> features make this the most productive laminator for the high volume office.

- Digital countdown timer until ready to use (even when settings are changed)
- 800mm speed 159 A4 standard pouches per hour, 222 HighSpeed<sup>™</sup> A4 pouches
- Pouch capability from 2 x 75 micron (150 total) up to 2 x 175 micron (350 total)
- 4-roller design to give exceptionally high quality lamination results
- Automatic safety shut off after 1 hour
- Reverse button for any misfeeds





### HeatSeal™ H425



Perfect for multi-application lamination purpose in a medium to high volume environment.

- Pouch capability from 2 x 75 micron (150 total) up to 2 x 250 micron (500 total)
- 4-roller design for exceptionally high quality lamination results
- 400mm speed 80 standard A4 pouches per hour, 114 HighSpeed<sup>™</sup> A4 pouches
- Variable digital temperature control
- Simple, clear user guidelines
- Automatic safety shut off after 1 hour
- Reverse button for any misfeeds

| Model | Lamination Width | Product Code |
|-------|------------------|--------------|
| H425  | A3 Max (324mm)   | 1702820      |





#### **Elite Laminator**

**Educational laminator specifically** designed for educational needs and applications.

- Carrier only machine
- Fixed speed 550mm/min, more than 100 standard pouches per hour
- 340mm entry accepts pouch sizes from ID up to A3
- Handles pouches up to 2 x 180 (360 total) micron thickness
- Variable temperature setting
- Reverse feature for accidental mis-feeding
- Security slot for use with Kensington Microsaver

| Model | Lamination Width | Product Code |
|-------|------------------|--------------|
| Elite | A3 Max (340mm)   | 2101794      |





GBC® QuickStart™

### **QuickStart**<sup>™</sup> H420 A3 Laminator



The World's fastest pouch laminators!

Quality A3 laminator with Ultra fast warm up and SureFlow anti jam performance.

- Ready to use in less than 1 minute 5 times faster than standard!
- 18 A4 sheets in 6 minutes using GBC HighSpeed™ pouches in the time it takes competition to do 1.
- SureFlow anti jam performance as standard give you stress free lamination
- Clear easy to use temperature settings
- 600 per minute throughput speed
- Laminate all popular sizes from ID to A3
- Pouches: up to 2 x 175 micron (350 total)
- Automatic shut off after 30 minutes
- Patented Quick release technology to easily remove mis-feeds
- 118 standard A4 pouches per hour
- 170 HighSpeed<sup>TM</sup> pouches per hour

| Model | Lamination Width | Product Code |
|-------|------------------|--------------|
| H420  | A3 Max (324mm)   | 4400094EU    |



For a faster finish... QuickStart









### **A3 Laminator with SureFlow Anti-Jam Performance**

The perfect choice for the home office or small business with moderate laminating requirements.

- 33% faster than competitor machines: takes just 36 seconds to laminate a standard A4 pouch, or 26 seconds using a HighSpeed<sup>™</sup> pouch (140 pouches per hour)
- Single button interface for ease of use
- Three heat settings: accepts 2 x 75 micron (150 in total) pouches, 2 x 100 micron (200 in total) and 2 x 125 micron (250 in total)
- Additional cold setting
- Automatic switch-off after 30 minutes of inactivity
- Stylish modern design
- Exit tray for perfectly flat finish

| Model        | Lamination Width*                | Product Code |
|--------------|----------------------------------|--------------|
| H318         | A3 Max (324mm)                   | 4400307EU    |
| * Lamination | Width is the maximum insert widt | th           |







#### **QuickStart**™ H320 A3 Laminator

Quality A3 laminator with Ultra fast warm up and SureFlow anti jam performance.

- Ready to use in less than 1 minute 5 times faster than standard!
- 15 A4 sheets in 6 minutes using GBC HighSpeed™ pouches in the time it takes competition to do 1.
- SureFlow anti jam performance as standard give you stress free lamination
- Clear easy to use temperature settings
- 500 per minute throughput speed
- Laminate all popular sizes from ID to A3
- Pouches: up to 2 x 125 micron (250 total)
- Automatic shut off after 30 minutes
- Patented Quick release technology to easily remove mis-feeds
- 99 standard A4 pouches per hour
- 140 HighSpeed<sup>TM</sup> pouches per hour













### **A4 Laminator with SureFlow Anti-Jam Performance**

Perfect for the home office or small business with moderate laminating requirements, ranging from small identity cards up to A4 sizes, notices and certificates.

- **33% faster** than competitor machines: takes just 45 seconds to laminate a standard A4 pouch, or 80 pouches per hour
- Single button user interface for ease of use
- Three heat settings: 2 x 75 micron (150 in total) pouches, 2 x 100 micron (200 in total) and 2 x 125 micron (250 in total)
- Automatic switch-off after 30 minutes
- Stylish modern design
- Exit tray for perfectly flat finish
- Additional cold setting

| Model        | Lamination Width*           | Product Code |
|--------------|-----------------------------|--------------|
| H220         | A3 Max (241mm)              | 4400306EU    |
| * Lamination | Width is the maximum insert | width        |












OFFICE



EDUCATION

Simple, stress-free





GBC® HeatSeal™

### HeatSeal™ H75 & HeatSeal™ H65

When occasional business or home use includes an A3 sign or poster, the HeatSeal™ H75 is the solution.

- Designed for either 2 x 75 micron (150 total) and 2 x 125 micron (250 total) pouches only
- H75 has 318mm throat width for max A3 laminating
- H65 has 241 mm throat width for max A4 laminating
- 305mm/min fixed speed 60 standard pouches per hour. 87 HighSpeed pouches per hour
- 2 x Heated Roller technology
- From ID size to A3
- 2 Fixed temperature settings
- Carrier free operation
- Misfeed release function

| IVIISIEEO | release function |              |
|-----------|------------------|--------------|
| Model     | Lamination Width | Product Code |
| H75       | A3 Max (318mm)   | 1701950      |
| H65       | A4 Max (241mm)   | 1701920      |
|           |                  |              |



The HeatSeal H65 and H75 feature an Exit Tray that keeps the laminated product straight on exit minimising curling and warping.

#### **CL90**



Laminates from ID size to A4.

- Simple to use
- Designed for 2 x 125 micron (250 total) pouches only
- 2 x Heated Roller technology
- 240 mm/min fixed speed
- Fixed Temperature Settings
  Photo and Standard
- Carrier free operation







### **Inspire A3 Laminator**

The GBC Inspire A3 laminator is the simple, cost-effective solution for protecting documents against spills, grease and light to ensure they stay pristine for years to come. It's the perfect choice for occasional use in the home or small office where documents range from ID card up to A3 size.



■ Single heat setting: accepts 2 x 75 micron (150 micron) pouches only which provide a good level of protection for general office documents

■ Single switch operation: simple to use, no previous experience or user manual required

Quality finish: protects frequently handled documents against spills, grease and light to keep them looking pristine

Laminates up to A3 size: including ID cards, photos and posters

Modern, compact design: easy to move around and suits most office and home environments



### **Inspire A4 Laminator**

Inspire A3 A3 Max (318mm)



The GBC Inspire A4 laminator is the simple, cost-effective solution for protecting documents against spills, grease and light to ensure they stay pristine for years to come. It's the perfect choice for occasional use in the home or small office where documents range from ID card up to A4 size.

- Single heat setting: accepts 2 x 75 micron (150 micron) pouches only which provide a good level of protection for general office documents
- Single switch operation: simple to use, no previous experience or user manual required
- Quality finish: protects frequently handled documents against spills, grease and light to keep them looking pristine
- Laminates up to A4 size: including ID cards, photos and notices
- Modern, compact design: easy to move around and suits most office and home environments

| Model      | Lamination Width | Product Code |
|------------|------------------|--------------|
| Inspire A4 | A4 Max (241mm)   | 4400304EU    |





GBC<sup>®</sup> BadgeMates™



# **GBC**<sup>®</sup> BadgeMates<sup>™</sup>

The BadgeMate™ range is ideal for creating professional ID cards and badges with your laminator and accessories.

| Description          | Detail                                | Size (mm)   | Quantity | Pouch Thickness Micron  | Product Code |
|----------------------|---------------------------------------|-------------|----------|-------------------------|--------------|
| Strap                | Black leather straps for Luggage Tags | 120 x 10 mm | 100      | n/a                     | EB510010     |
| Holder               | Badge holder (horizontal)             | 65 x 90 mm  | 100      | n/a                     | EH700000     |
| Government Badge Kit | Government pouch w/ Slot + Clips      | 65 x 95 mm  | 25       | 2 x 125 mic (250 total) | 3740530      |
| Luggage Tag Kit      | Luggage Pouch w/ Slot + leather strap | 64 x 108 mm | 25       | 2 x 180 mic (360 total) | 41675E       |
| Badge Clip           | Metal clip & nylon strap              | n/a         | 100      | n/a                     | EH600000     |
| Badge Clip           | Metal clip & plastic strap            | n/a         | 100      | n/a                     | EH500000     |
| Badge Clip           | Plastic clip & nylon strap            | n/a         | 100      | n/a                     | EH610000     |
| Badge Clip           | Metal clip & nylon strap              | n/a         | 50       | n/a                     | 41614E       |
| Combination Clip     | Safety Pin/Clip                       | n/a         | 100      | n/a                     | IB505638     |
| Chain                | 27" neckchain                         | 760 mm      | 100      | n/a                     | EB100000     |

### **Badge Clips**

Plastic or Metal Badge holders with either clip or safety pin for securing badges, passes and ID cards to clothes.




### **Badge Holders**

Plastic wallets to display visitor, identity or access cards. Pre-punched for clips or chains.



#### **Neck Chains**

Light weight chromium plated chains to display or carry identif passes or access cards.



### **Plastic Loops**

■ Discreet, clear plastic loops to affix laminated address labels and/or identity cards to luggage, bags or personal items.



### **Luggage Straps**

■ Simulated leather straps to affix laminated identity or business cards to briefcases and luggage.



### **Specific Items**

Specific kits including pouches with pre-punched slots, and loops or clips. Useful and valuable kits for many uses including luggage tags, and specific official sized documents.





### minimum effort . . .


# **Accessories**

For your laminated documents an accessories range has been designed to perfect and personalise your document as desired.

| Description      | Detail                              | Size (mm)  | Quantity | Product Code |
|------------------|-------------------------------------|------------|----------|--------------|
| Hand Photo Punch | Photoline                           | 25 x 32 mm | 1        | IB505140     |
| Hand Photo Punch | Passport                            | 35 x 45 mm | 1        | IB505157     |
| Slot Punch       | For Badge clips                     | 16 x 3 mm  | 1        | 1101667      |
| Desk Punch       | For Badge clips                     | 16 x 3 mm  | 1        | 1690030      |
| Corner Rounder   | 80 sheets (80 gsm)<br>or Mouse Pads | n/a        | 1        | 1121032      |
| Corner Rounder   | 1/2" Cutter die                     | n/a        | 1        | 1121036      |
| Corner Rounder   | 1/4" Cutter die                     | n/a        | 1        | 1121034      |
| Corner Rounder   | 1/8" Cutter die                     | n/a        | 1        | 1121033      |
| Carrier          | A3 size                             | up to A3   | 5        | EK03000      |
| Carrier          | A4 size                             | up to A4   | 5        | EK04000      |
| Cleaning Sheet   | A4                                  | n/a        | 5        | EK50000      |

### **Round Corner-Cutter**

Achieve the professional look by round cornering photos, mouse pads and even laminated sheets and posters to negate





#### **Slot Punches**

Available in two forms – Desk Top or Hand – to punch a 16 x 3 mm rectangular slot in laminated cards/sheets. Use with GBC® Badge Clips, Luggage Straps



### **Carriers & Cleaning Sheets**

- Protective carriers are to be used when the media is uncertain or the relationship between media and laminator heat speed is unclear. Protective carriers also assist in maintaining laminators rollers free of 'adhesive ooze-out' minimising wear and tear.
- Cleaning sheets should be used to remove excess adhesive or other non-desirable material from the laminator rollers to achieve optimum





Feeds, laminates and trims A5, A4, A3 and continuous banners. . .

... all at the touch of a button!





Specifications















|                                    | 400                           |                               | The state of the s |                               |                               |                               |
|------------------------------------|-------------------------------|-------------------------------|--|-------------------------------|-------------------------------|-------------------------------|
|                                    | AutoUltima™                   | RollSeal™EzLoad™              | HeatSeal™ 4500LM   | HeatSeal™ 3500LM              | HeatSeal™ 4000LM              | HeatSeal™ H535                |
| Photo quality                      |                               |                               | ✓  | ✓                             | ✓                             | /                             |
| Heat-up Time (75 mic)              | 1 min.                        | 1 min.                        | 4-8 min.   | 2.5-8.5 min.                  | 2 min.                        | 6-7 min.                      |
| Speed mm/min.                      | 800                           | 1000                          | 190-1500   | 160-800                       | 470                           | 1000                          |
| Temperature control                | Variable                      | Variable                      | Variable (Display)   | Variable (Display)            | Variable                      | Variable (Display)            |
| Cold Lamination                    |                               |                               | ✓  | ✓                             | ✓                             | ✓                             |
| Speed control                      | Fixed                         | Fixed                         | Variable / 6 std Settings  | Variable / 6 std Settings     | Fixed                         | Variable / 6 std Settings     |
| Rollers                            | N/A                           | N/A                           | 4 + Heated Plates  | 4+ Heated Plates              | 4                             | 4                             |
| Max. Document size                 | Banner / A3                   | Banner/A3                     | A2   | A3                            | A2                            | A3                            |
| Max pouch thickness                | 2 x 125 micron<br>(250 total) | 2 x 250 micron<br>(500 total) | 2 x 250 micron<br>(500 total)  | 2 x 250 micron<br>(500 total) | 2 x 250 micron<br>(500 total) | 2 x 250 micron<br>(500 total) |
| Ready Lamp                         | ✓                             | ✓                             |  |                               | ✓                             | /                             |
| Release Function                   |                               |                               |  |                               |                               |                               |
| Reverse                            | ✓                             | ✓                             | ✓  | ✓                             |                               | ✓                             |
| Display                            | ✓                             |                               | ✓  | ✓                             |                               | /                             |
| Pouch counter                      | ✓                             |                               |  |                               |                               | ✓                             |
| Auto switch off                    | ✓ (after 15 min.)             | ✓                             |  |                               |                               | ✓                             |
| A4 Laminates /hr*                  | 204                           | 200                           | 297  | 158                           | 93                            | 200                           |
| HighSpeed Pouch<br>Laminates/Hr*   | N/A                           | N/A                           | 417  | 222                           | 131                           | 277                           |
| Warranty                           | 1 year                        | 1 years                       | 2 years  | 2 years                       | 2 years                       | 2 years                       |
| Dimensions (mm)                    | 483 x 787 x 686               | 430 x 460 x 230               | 673 x 318 x 178  | 586 x 266 x 133               | 675 x 190 x 105               | 527 x 280 x 159               |
| Certification                      | GS / TüV / CE                 | CE                            | GS / TüV / CE  | GS / TüV / CE                 | GS / TüV / CE                 | GS / TüV / CE                 |
| Weight                             | 32kg                          | 16 kg w/out rolls             | 22kg   | 14.1kg                        | 6.9kg                         | 9.86kg                        |
| Power Consumption,<br>Watts / Amps | 230v / 50Hz 3.5 A             | 1350W/ 4.5A                   | 1500W /6.8A  | 1100W / 4.7A                  | 1300W /6.0A                   | 1100W / 4.7A                  |
| Product Code                       | 4400095                       | 1701640                       | 1700520  | 1700320                       | IB509551                      | 1701590                       |

| *Estimates only |  |
|-----------------|--|
|                 |  |







|                                    | HeatSeal™H520                 | HeatSeal™ H425                | Elite                         |  |  |
|------------------------------------|-------------------------------|-------------------------------|-------------------------------|--|--|
| Photo quality                      | ✓                             | ✓                             | ✓                             |  |  |
| Heat-up Time (75 mic)              | 5 min.                        | 5 min.                        | 4 min.                        |  |  |
| Speed mm/min.                      | 800                           | 400                           | 550                           |  |  |
| Temperature control                | Variable                      | Variable                      | Variable                      |  |  |
| Cold Lamination                    | ✓                             | ✓                             | ✓                             |  |  |
| Speed control                      | Fixed                         | Fixed                         | Fixed                         |  |  |
| Rollers                            | 4                             | 4                             | 4                             |  |  |
| Max. Document size                 | A3                            | A3                            | A3                            |  |  |
| Max pouch thickness                | 2 x 180 micron<br>(360 total) | 2 x 250 micron<br>(500 total) | 2 x 180 micron<br>(360 total) |  |  |
| Ready Lamp                         | ✓                             | ✓                             | ✓                             |  |  |
| Release Function                   |                               |                               |                               |  |  |
| Reverse                            | ✓                             | ✓                             | ✓                             |  |  |
| Display                            | ✓                             |                               |                               |  |  |
| Pouch counter                      |                               |                               |                               |  |  |
| Auto switch off                    | ✓                             | ✓                             |                               |  |  |
| A4 Laminates /hr*                  | 158                           | 80                            | 100                           |  |  |
| HighSpeed Pouch<br>Laminates/Hr*   | 222                           | 114                           | 150                           |  |  |
| Warranty                           | 2 years                       | 2 years                       | 2 years                       |  |  |
| Dimensions (mm)                    | 615 x 185 x 240               | 615 x 185 x 240               | 645 x 262 x 167               |  |  |
| Certification                      | CE / TüV                      | CE / TüV                      | CE                            |  |  |
| Weight                             | 6.3 kg                        | 5.5 kg                        | 7.49 kg                       |  |  |
| Power Consumption,<br>Watts / Amps | 600W / 2.5A                   | 750W / 3.5A                   | 230W/ 2.6A                    |  |  |
| Product Code                       | 1702860                       | 1702820                       | 2101283                       |  |  |













| QuickStart H420               | QuickStart H320               | HeatSpeed™H318                | HeatSpeed™ H220               | HeatSeal™ H75                 | HeatSeal™ H65                 |                                   |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------------------|
| ✓                             | ✓                             | ✓                             | ✓                             | ✓                             | ✓                             | Photo quality                     |
| 1 min.                        | 1 min.                        | 4 min.                        | 4 min.                        | 8 min.                        | 8 min.                        | Heat-up Time (75 m                |
| 600                           | 500                           | 500                           | 400                           | 305                           | 305                           | Speed mm/min.                     |
| Variable                      | Variable                      | Fixed                         | Fixed                         | ✓                             | ✓                             | Temperature control               |
| ✓                             | ✓                             | ✓                             | ✓                             |                               |                               | Cold Lamination                   |
| Fixed                         | Fixed                         | Fixed                         | Fixed                         | Fixed                         | Fixed                         | Speed control                     |
| 2                             | 2                             | 2                             | 2                             | 2                             | 2                             | Rollers                           |
| A3                            | A3                            | A3                            | A4                            | A3                            | A4                            | Max. Document size                |
| 2 x 175 micron<br>(350 total) | 2 x 125 micron<br>(250 total) | Max pouch thicknes                |
| ✓                             | ✓                             | ✓                             | ✓                             | ✓                             | ✓                             | Ready Lamp                        |
| ✓                             | ✓                             | ✓                             | ✓                             | ✓                             | ✓                             | Release Function                  |
|                               |                               |                               |                               |                               |                               | Reverse                           |
|                               |                               |                               |                               |                               |                               | Display                           |
|                               |                               |                               |                               |                               |                               | Pouch counter                     |
| ✓ (after 30 min.)             |                               |                               | Auto switch off                   |
| 118                           | 99                            | 99                            | 79                            | 60                            | 60                            | A4 Laminates /hr*                 |
| 170                           | 140                           | 140                           | N/A                           | 87                            | N/A                           | HighSpeed Pouch<br>Laminates/Hr*  |
| 2 years                       | Warranty                          |
| 400 x 173 x 117               | 400 x 173 x 117               | 510 x 60 x 135                | 430 x 60 x 135                | 451 x 108 x 102               | 362 x 108 x 102               | Dimensions (mm)                   |
| GS / TüV / CE                 | GS / TüV / CE                 | CE / TüV                      | CE / TüV                      | GS / TüV / CE                 | GS / TüV / CE                 | Certification                     |
| 3.5kg                         | 3.5kg                         | 2.4kg                         | 1.6kg                         | 3.0kg                         | 2.5kg                         | Weight                            |
| 500W                          | 500W/4A                       | 500W / 2.2A                   | 500W / 2.2A                   | 200W / 0.87A                  | 150W / 0.65A                  | Power Consumption<br>Watts / Amps |
| 4400093                       | 4400094                       | 4400307                       | 4400306                       | 1701950                       | 1701920                       | Product Code                      |

|      | anna.      | -          |  |  |
|------|------------|------------|--|--|
| CL90 | Inspire A3 | Inspire A4 |  |  |
| _    |            |            |  |  |

\*Estimates only

| CL90                          | Inspire A3      | Inspire A4      |                                  |
|-------------------------------|-----------------|-----------------|----------------------------------|
| ✓                             | ✓               | ✓               | Photo quality                    |
| 6 min.                        | 6 min           | 6 min           | Heat-up Time (75                 |
| 240                           | 240             | 240             | Speed mm/min.                    |
| ✓                             | Fixed           | Fixed           | Temperature con                  |
|                               |                 |                 | Cold Lamination                  |
| Fixed                         | Fixed           | Fixed           | Speed control                    |
| 2                             | 2               | 2               | Rollers                          |
| A4                            | A3              | A4              | Max. Document s                  |
| 2 x 125 micron<br>(250 total) | 75 micron       | 75 micron       | Max pouch thickr                 |
| ✓                             | ✓               | ✓               | Ready Lamp                       |
|                               |                 |                 | Release Function                 |
|                               |                 |                 | Reverse                          |
|                               |                 |                 | Display                          |
|                               |                 |                 | Pouch counter                    |
|                               |                 |                 | Auto switch off                  |
| 47                            | 47              | 47              | A4 Laminates /hr                 |
| N/A                           | 68              | N/A             | HighSpeed Pouch<br>Laminates/Hr* |
| 2 years                       | 2 years         | 2 years         | Warranty                         |
| 390 x 85 x 110                | 475 x 110 x 110 | 475 x 110 x 110 | Dimensions (mm)                  |
| GS / TüV / CE                 | CE              | CE              | Certification                    |
| 1.9kg                         | 1.4kg           | 1.8kg           | Weight                           |
| 260W / 1.1A                   | 500W / 2.2A     | 500W / 2.2A     | Power Consumpt<br>Watts / Amps   |

